03500.014089 AUG 2 9 2006

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	Examiner: Joseph L. Williams	
TAIKO MOTOI ET AL.		:)		
Appln. No.: 09/443,308		:)	Group Art Unit: 2879	
Filed: November 19, 1999)		
For:	ELECTRON-EMITTING DEVICE HAVING CARBON FILMS WITH A PARTICULAR ORIENTATION, ELECTRON SOURCE USING ELECTRON-EMITTING DEVICE, AND IMAGE FORMING APPARATUS	·) :) :) :)		Certificate SEP 0 1 2006 of Correction
U.S. Patent No.: 6,917,146 B1		:		·
Issued:	July 12, 2005	:	August 28, 2006	

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

94/31/3996-19506 99443398 51-78-1873 149-149

CERTIFICATE OF CORRECTION <u>UNDER RULES 322 AND 323</u>

68/31/2006 MRERKE 00000107 6917146 E1 FC:1811 100.00 OP

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

SED 05 LUUB

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

Frank A. DeLuci

Attorney for Patentees Registration No. 42,476

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

CERTIFICATE OF CORRECTION

PATENT NO.

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 1 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON COVER PAGE AT (30) FOREIGN APPLICATION PRIORITY DATA

"Feb. 22, 1999 (JP) 11-0142908" should read --Feb. 22, 1999 (JP) 11-042908--.

ON COVER PAGE AT (56) FOREIGN PAGENT DOCUMENTS

"EP 0 701 265 3/1996" should read --EP 0 701 265 A1 3/1996--; and "JP 0 701 265 A1 3/1996" should be deleted.

COLUMN 1

Line 21, "emission"," should read -- Emission",--;

Line 22, "thin-film field emission" should read -- Thin-film Field Emission--;

Line 23, "cathodes with molybdenium cones" should read -- Cathodes with Molybdenum Cones--; and

Line 26, "Mead", Operation" should read -- Mead, "Operation--.

COLUMN 2

Line 5, "stable" should read --a stable--;

Line 7, "istics controllable on stable" should read --istics are controllable on a stable--;

Line 14, "being" should read --acting as--;

Line 15, "lighten" should read --cause--;

Line 21, "or" should read --or during--;

Line 25, "driving" should read --driving,--;

Line 40, "circumstance," should read --circumstances,--:

Line 48, "Further" should read --Further,--; and

Line 66, "having." should read --being--.

MAILING ADDRESS OF SENDER:

PATENT NO. US 6,917,146 B1

FITZPATRICK, CELLA, HARPER & SCINTO

30 Rockefeller Plaza

New York, New York 10112-3801

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

हरू कुई **८००**७

No. of add'l. copies @ 30¢ per page

Form PTO 1050 (Rev. 3-82)

CERTIFICATE OF CORRECTION

PATENT NO.

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 2 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 3

Line 8, "covers" should read --cover--;

Line 28, "stable" should read --a stable--; Line 30, "excellent" should read --are excellent--;

Line 34, "stable" should read --a stable--;

Line 44, "example of" should read --example--;

Line 48, "of" should be deleted; and

Line 49, "manufacturing" should read --a manufacturing--.

COLUMN 4

Line 15, "of" should read -- of an--;

Line 25, "manfacturing" should read -- the manfacturing--;

Line 44, "of" should read -- of an--:

Line 47, "of" (first occurrence) should read -- of an--; and

Line 53, "drawings" should read --drawings,--.

COLUMN 5

Line 59, "of approximate" should read --approximately--.

COLUMN 6

Line 13, "of" should be deleted;

Line 14, "approximate" should read --approximately--;

Line 19, "to heating" should read --to the heating--:

Line 27, "having" should be deleted; Line 52, "having" should be deleted; and

Line 56, "where" should read --where the--.

MAILING ADDRESS OF SENDER:

PATENT NO. US 6,917,146 B1

FITZPATRICK, CELLA, HARPER & SCINTO

30 Rockefeller Plaza

New York, New York 10112-3801

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

Form PTO 1050 (Rev. 3-82)

No. of add'l. copies

@ 30¢ per page

CERTIFICATE OF CORRECTION

PATENT NO.

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 3 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 7

Line 12, "on" should read --of--;

Line 13, "having been" should be deleted;

Line 31, "having" should be deleted;

Line 38, "to the" should be deleted;

Line 60, "further long" should read --longer--; and

Line 47, "does" should read --do--.

COLUMN 8

Line 6, "is" should read --is a--;

Line 7, "rations that" should read --ration in which--;

Line 13, "the both" should read --both--;

Line 14, "parties" should read --parts--; and "doe" should read --do--;

Line 40, "are" should read --is--;

Line 46, "this" should be deleted;

Line 47, "length" should read --a length"; and

Line 65, "have" should read --has--.

COLUMN 9

Line 11, "have" should read --has--;

Line 26, "inconveniences" should read --inconvience--;

Line 31, "is" should read --are--;

Line 43, "using for example" should read --using, for example, --; and

Line 46, "costly" should read --a cost--.

MAILING ADDRESS OF SENDER:

PATENT NO. US 6,917,146 B1

FITZPATRICK, CELLA, HARPER & SCINTO

30 Rockefeller Plaza

New York, New York 10112-3801

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

Form PTO 1050 (Rev. 3-82)

CEP 05 LUND

No. of add'l. copies

CERTIFICATE OF CORRECTION

PATENT NO.

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 4 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 10

Line 26, "of for" should read --of, for--;

Line 27, "example" should read --example, --; and "not-shown" should read --a notshown--:

Line 29, "applying" should read --apply--;

Line 34, "continuous" should read --a continuous--;

Line 35, "having" should be deleted:

Line 36, "having" should be deleted;

Line 42, "of for example" should read --of, for example,--;

Line 43, "ten" should read --tens of--; and "from" should read --form--;

Line 45, "can be" should read --can also be--;

Line 52, "for" should read --for the--:

Line 55, "resistant" should read --resistance--;

Line 57, "resistant" should read --resistance--:

Line 61, "form" should read --forms--:

Line 66, "acrylonitrile" should read --acrylonitrile,--; and

Line 67, "to" should be deleted.

COLUMN 11

Line 57, "possible, but heating" should read --possible. Heating--; and

Line 67, "processing" should read --processing,--.

COLUMN 12

Line 4, "feature" should read --features--;

Line 7, "etc. which absorbed" should read --etc., which is absorbed--:

Line 14, "is applicable" should be deleted;

Line 53, "drawing having schematically shown" should read --graph showing--; and

Line 64, "istic" should read --istics--.

MAILING ADDRESS OF SENDER:

PATENT NO. US 6,917,146 B1

No. of add'l. copies

@ 30¢ per page

FITZPATRICK, CELLA, HARPER & SCINTO

30 Rockefeller Plaza

New York, New York 10112-3801

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

SEP 05 2006

Form PTO 1050 (Rev. 3-82)

CERTIFICATE OF CORRECTION

PATENT NO.

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 5 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 13

Line 51, "considering" should read --considering the--;

Line 53, "to" should be deleted;

Line 54, "micro meter" should read --micrometer--: and

Line 65, "in only the point" should read --only--.

COLUMN 14

Line 15, "ends each" should read --ends to each--; and

Line 65, "the both" should read --both--.

COLUMN 15

Line 5, "and," should read --and--; and "espe-" should be deleted:

Line 6, "cially" should be deleted;

Line 20, "from for example" should read --from, for example, --;

Line 47, "is" should read --are--:

Line 51, "to" should be deleted;

Line 54, "electron" should read --an electron--; and "emitted a" should read --emitted, a--;

and

Line 62, "source" should read --sources--.

COLUMN 16

Line 22, "thus" should be deleted;

Line 23, "unnecessary" should read --as unnecessary--:

Line 30, "the atmosphere" should read --atmospheric--;

Line 33, "only" should read --only the--;

Line 46, "has" should read --have--; and

Line 52, "to provide" should read -- of providing--;

Line 53, "from radiation" should read --to radiate--:

MAILING ADDRESS OF SENDER:

PATENT NO. US 6,917,146 B1

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza

New York, New York 10112-3801

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

SEP 05 LUUD



No. of add'l. copies

CERTIFICATE OF CORRECTION

PATENT NO.

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 6 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Line 54, "of" (first occurrence) should read --off--; and "to direction" should read --in the direction--:

Line 55, "cause to act as electrode" should read --cause it to act as an electrode--;

Line 57, "bombering" should read --bombarding--; and

Line 60, "surface of" (first occurrence) should be deleted.

COLUMN 17

Line 19, "outline" should read -- the outline--;

Line 20, "especially" should be deleted; and

Line 67, "each" should be deleted.

COLUMN 18

Line 3, "passing-" should read --pass---;

Line 45, "with aceton," should read -- the substrate in which electrodes have been formed with acetone,--; and "the substrate in" should be deleted; and

Line 46, "which electrodes have been formed" should be deleted--

COLUMN 19

Line 17, "Pas," should read --Pa,--;

Line 19, "which" should read --with--;

Line 20, "to" should be deleted;

Line 27, "which" should read --with--:

Line 28, "to" should be deleted;

Line 41, "to" should be deleted; and

Line 62, "it the" should read --it, the--.

MAILING ADDRESS OF SENDER:

PATENT NO. US 6,917,146 B1

No. of add'l. copies

@ 30¢ per page

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza New York, New York 10112-3801

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

SEP 05 LUUD

CERTIFICATE OF CORRECTION

PATENT NO.

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 7 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 20

Line 2, "of" should read -- of the--;

Line 9, "obtain" should read --obtain a--;

Line 12, "of" should read --of the--;

Line 21, "have" should read --has--; and

Line 54, "produced, and" should read --produced and,--.

COLUMN 21

Line 40, "to" should be deleted;

Line 46, "pomp)," should read --pump),--; and

Line 62, ", and" should read --.--;

Line 63, "a" should read -- A--;

Line 65, "displayed, then no" should read --displayed. No--;

Line 66, "not" should be deleted; and "place, highly" should read --place and highly--; and

Line 67, "stable" should read --a stable--.

COLUMN 22

Line 8, "reach" should read --reaches--;

Line 12, "to" should be deleted;

Line 17, "to" should be deleted; and

Line 22, "to" should be deleted--.

MAILING ADDRESS OF SENDER:

PATENT NO. US 6,917,146 B1

FITZPATRICK, CELLA, HARPER & SCINTO

30 Rockefeller Plaza

New York, New York 10112-3801

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

Form PTO 1050 (Rev. 3-82)



No. of add'l. copies

@ 30¢ per page

CERTIFICATE OF CORRECTION

PATENT NO.

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 8 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 23

Line 4, "with" should read --the substrate in which electrodes have been formed with--; and "the substrate" should be deleted;

Line 5, "in which electrodes have been formed" should be deleted;

Line 39, "has" should read --is--; and

Line 40, "been" should read --being--;

Line 46, "to" should be deleted:

Line 50, "to" should be deleted; and

Line 58, "to" should be deleted.

COLUMN 24

Line 27, "in" should read --by--;

Line 28, "magnification," should read --magnification and--;

Line 29, "out" should read --that--;

Line 31, "it the" should read --it, that the--;

Line 32, "the level of" should be deleted; and

Line 34, "width" should read -- the width--.

COLUMN 25

Line 23, "have" should read --has--; and

Line 24, "borderline" should read -- the borderline of--.

MAILING ADDRESS OF SENDER:

PATENT NO. <u>US</u> 6,917,146 B1

FITZPATRICK, CELLA, HARPER & SCINTO

30 Rockefeller Plaza

New York, New York 10112-3801

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

Form PTO 1050 (Rev. 3-82)

SEP 05 LUUD



No. of add'l. copies

CERTIFICATE OF CORRECTION

PATENT NO.

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 9 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 27

Line 7, "in" should be deleted:

Line 11, "far, and a" should read --far. A--;

Line 14, "displayed, then no" should read --displayed. No--;

Line 15, "not" should be deleted; and "place, highly" should read --place and highly--;

Line 16, "stable" should read --a stable--;

Line 29, "which" should read --with--;

Line 30, "to" should be deleted;

Line 37, "to" should be deleted;

Line 50, "to" should be deleted;

Line 58, "time" should read --times--;

Line 61, "in" should be deleted;

Line 66, "portions where" should read --portions,--; and Line 67, "it the" should read --it, that the--.

COLUMN 28

Line 1, "the level of" should be deleted;

Line 11, "not have not been able to be found out." should read --been found.--;

Line 33, "to be held" should be deleted:

Line 34, "not to save any necessary" should read --to exhibit less--; and

Line 57, "highly quality" should read --high quality--.

COLUMN 29

Line 62, "electroconductive" should read --electroconductive--.

MAILING ADDRESS OF SENDER:

PATENT NO. US 6,917,146 B1

FITZPATRICK, CELLA, HARPER & SCINTO

30 Rockefeller Plaza


New York, New York 10112-3801

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

Form PTO 1050 (Rev. 3-82)

SEP 05 LUUD



No. of add'l. copies

@ 30¢ per page

PRINTER'S TRIM LINE Staple Here Only!

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO.

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 10 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 30

Line 2, "films;" should read --films; and--; and Line 16, "gap;" should read --gap; and--.

COLUMN 32

Line 1, "thereof" should read --thereof,--;

Line 3, "and are" should read --are--; and

Line 6, "electoconductive" should read --electroconductive--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza New York, New York 10112-3801 (212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

No. of add'l. copies @ 30¢ per page



PATENT NO. <u>US 6,917,146 B1</u>

CERTIFICATE OF CORRECTION

PATENT NO.

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 1 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON COVER PAGE AT (30) FOREIGN APPLICATION PRIORITY DATA

"Feb. 22, 1999 (JP) 11-0142908" should read -- Feb. 22, 1999 (JP) 11-042908--.

ON COVER PAGE AT (56) FOREIGN PAGENT DOCUMENTS

"EP 0 701 265 3/1996" should read --EP 0 701 265 A1 3/1996--; and "JP 0 701 265 A1 3/1996" should be deleted.

COLUMN 1

Line 21, "emission"," should read -- Emission",--;

Line 22, "thin-film field emission" should read -- Thin-film Field Emission--;

Line 23, "cathodes with molybdenium cones" should read -- Cathodes with Molybdenium Cones--; and

Line 26, "Mead", Operation" should read -- Mead, "Operation -- .

COLUMN 2

Line 5, "stable" should read --a stable--;

Line 7, "istics controllable on stable" should read --istics are controllable on a stable--:

Line 14, "being" should read --acting as--;

Line 15, "lighten" should read --cause--;

Line 21, "or" should read --or during--;

Line 25, "driving" should read --driving, --;

Line 40, "circumstance," should read --circumstances,--;

Line 48, "Further" should read --Further,--; and


Line 66, "having." should read --being--.

MAILING ADDRESS OF SENDER:

PATENT NO. <u>US</u> 6,917,146 B1

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

No. of add'l. copies @ 30¢ per page



CERTIFICATE OF CORRECTION

PATENT NO.

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 2 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 3

Line 8, "covers" should read --cover--;

Line 28, "stable" should read --a stable--:

Line 30, "excellent" should read -- are excellent--;

Line 34, "stable" should read --a stable--;

Line 44, "example of" should read --example--;

Line 48, "of" should be deleted; and

Line 49, "manufacturing" should read --a manufacturing--.

COLUMN 4

Line 15, "of" should read -- of an--;

Line 25, "manfacturing" should read -- the manfacturing--;

Line 44, "of" should read -- of an--;

Line 47, "of" (first occurrence) should read -- of an--; and

Line 53, "drawings" should read --drawings,--.

COLUMN 5

Line 59, "of approximate" should read --approximately--.

COLUMN 6

Line 13, "of" should be deleted;

Line 14, "approximate" should read --approximately--;

Line 19, "to heating" should read --to the heating--;

Line 27, "having" should be deleted;

Line 52, "having" should be deleted; and

Line 56, "where" should read --where the--.

MAILING ADDRESS OF SENDER:

PATENT NO. <u>US</u> 6,917,146 B1

FITZPATRICK, CELLA, HARPER & SCINTO

30 Rockefeller Plaza

New York, New York 10112-3801

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

SEP 05 4006



No. of add'l. copies

CERTIFICATE OF CORRECTION

PATENT NO.

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 3 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 7

Line 12, "on" should read --of--;

Line 13, "having been" should be deleted;

Line 31, "having" should be deleted;

Line 38, "to the" should be deleted;

Line 60, "further long" should read --longer--; and

Line 47, "does" should read --do--.

COLUMN 8

Line 6, "is" should read --is a--;

Line 7, "rations that" should read --ration in which--;

Line 13, "the both" should read --both--;

Line 14, "parties" should read --parts--; and "doe" should read --do--;

Line 40, "are" should read --is--;

Line 46, "this" should be deleted;

Line 47, "length" should read --a length"; and

Line 65, "have" should read --has--.

COLUMN 9

Line 11, "have" should read --has--;

Line 26, "inconveniences" should read --inconvience--;

Line 31, "is" should read --are--;

Line 43, "using for example" should read --using, for example, --; and

Line 46, "costly" should read --a cost--.

MAILING ADDRESS OF SENDER:

PATENT NO. <u>US 6,917,146 B1</u>

FITZPATRICK, CELLA, HARPER & SCINTO

30 Rockefeller Plaza

New York, New York 10112-3801

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

Form PTO 1050 (Rev. 3-82)

544089v1

No. of add'l. copies @ 30¢ per page





CERTIFICATE OF CORRECTION

PATENT NO.

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 4 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 10

Line 26, "of for" should read --of, for--;

Line 27, "example" should read --example,--; and "not-shown" should read --a not-shown--;

Line 29, "applying" should read --apply--;

Line 34, "continuous" should read --a continuous--;

Line 35, "having" should be deleted;

Line 36, "having" should be deleted;

Line 42, "of for example" should read --of, for example,--;

Line 43, "ten" should read --tens of--; and "from" should read --form--;

Line 45, "can be" should read --can also be--;

Line 52, "for" should read --for the--;

Line 55, "resistant" should read --resistance--;

Line 57, "resistant" should read --resistance--;

Line 61, "form" should read --forms--;

Line 66, "acrylonitrile" should read --acrylonitrile,--; and

Line 67, "to" should be deleted.

COLUMN 11

Line 57, "possible, but heating" should read --possible. Heating--; and Line 67, "processing" should read --processing,--.

COLUMN 12

Line 4, "feature" should read --features--;

Line 7, "etc. which absorbed" should read --etc., which is absorbed--;

Line 14, "is applicable" should be deleted;

Line 53, "drawing having schematically shown" should read --graph showing--; and

Line 64, "istic" should read --istics--.

MAILING ADDRESS OF SENDER:

PATENT NO. US 6,917,146 B1

No. of add'l. copies

@ 30¢ per page

FITZPATRICK, CELLA, HARPER & SCINTO

30 Rockefeller Plaza

New York, New York 10112-3801

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

Form PTO 1050 (Rev. 3-82)

CERTIFICATE OF CORRECTION

PATENT NO.

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 5 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 13

Line 51, "considering" should read --considering the--;

Line 53, "to" should be deleted;

Line 54, "micro meter" should read --micrometer--; and

Line 65, "in only the point" should read --only--.

COLUMN 14

Line 15, "ends each" should read --ends to each--; and

Line 65, "the both" should read --both--.

COLUMN 15

Line 5, "and," should read --and--; and "espe-" should be deleted;

Line 6, "cially" should be deleted;

Line 20, "from for example" should read --from, for example,--;

Line 47, "is" should read --are--;

Line 51, "to" should be deleted:

Line 54, "electron" should read --an electron--; and "emitted a" should read --emitted, a--; and

Line 62, "source" should read --sources--.

COLUMN 16

Line 22, "thus" should be deleted;

Line 23, "unnecessary" should read --as unnecessary--;

Line 30, "the atmosphere" should read --atmospheric--:

Line 33, "only" should read --only the--;

Line 46, "has" should read --have--; and

Line 52, "to provide" should read -- of providing--;

Line 53, "from radiation" should read --to radiate--;

MAILING ADDRESS OF SENDER:

PATENT NO. US 6,917,146 B1

FITZPATRICK, CELLA, HARPER & SCINTO

30 Rockefeller Plaza

New York, New York 10112-3801

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

Form PTO 1050 (Rev. 3-82)

544089v1

SEP 05 LUU



No. of add'l, copies

CERTIFICATE OF CORRECTION

PATENT NO.

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 6 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Line 54, "of" (first occurrence) should read --off--; and "to direction" should read --in the direction--:

Line 55, "cause to act as electrode" should read --cause it to act as an electrode--;

Line 57, "bombering" should read --bombarding--; and

Line 60, "surface of" (first occurrence) should be deleted.

COLUMN 17

Line 19, "outline" should read -- the outline--;

Line 20, "especially" should be deleted; and

Line 67, "each" should be deleted.

COLUMN 18

Line 3, "passing-" should read --pass---;

Line 45, "with aceton," should read --the substrate in which electrodes have been formed with acetone,--; and "the substrate in" should be deleted; and

Line 46, "which electrodes have been formed" should be deleted--.

COLUMN 19

Line 17, "Pas," should read -- Pa,--;

Line 19, "which" should read --with--;

Line 20, "to" should be deleted;

Line 27, "which" should read --with--:

Line 28, "to" should be deleted;

Line 41, "to" should be deleted: and

Line 62, "it the" should read --it, the--.

MAILING ADDRESS OF SENDER:

PATENT NO. US 6,917,146 B1

FITZPATRICK, CELLA, HARPER & SCINTO

30 Rockefeller Plaza

New York, New York 10112-3801

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

__

Form PTO 1050 (Rev. 3-82)

544089v1

7 7 5 44<u>40</u>

No. of add'l, copies

CERTIFICATE OF CORRECTION

PATENT NO. :

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 7 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 20

Line 2, "of" should read -- of the--;

Line 9, "obtain" should read --obtain a--;

Line 12, "of" should read --of the--;

Line 21, "have" should read --has--; and

Line 54, "produced, and" should read --produced and,--.

COLUMN 21

Line 40, "to" should be deleted;

Line 46, "pomp)," should read --pump),--; and

Line 62, ", and" should read --.-; Line 63, "a" should read --A--;

Line 65, "displayed, then no" should read --displayed. No--;

Line 66, "not" should be deleted; and "place, highly" should read --place and highly--; and

Line 67, "stable" should read --a stable--.

COLUMN 22

Line 8, "reach" should read --reaches--;

Line 12, "to" should be deleted;

Line 17, "to" should be deleted; and

Line 22, "to" should be deleted--.

MAILING ADDRESS OF SENDER:

PATENT NO. <u>US</u> 6,917,146 B1

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza New York, New York 10112-3801

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

Form PTO 1050 (Rev. 3-82)



No. of add'l. copies

@ 30¢ per page

CERTIFICATE OF CORRECTION

PATENT NO.

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 8 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 23

Line 4, "with" should read --the substrate in which electrodes have been formed with--; and "the substrate" should be deleted;

Line 5, "in which electrodes have been formed" should be deleted;

Line 39, "has" should read --is--; and

Line 40, "been" should read --being--;

Line 46, "to" should be deleted;

Line 50, "to" should be deleted; and

Line 58, "to" should be deleted.

COLUMN 24

Line 27, "in" should read --by--;

Line 28, "magnification," should read --magnification and--;

Line 29, "out" should read --that--;

Line 31, "it the" should read --it, that the--;

Line 32, "the level of" should be deleted; and

Line 34, "width" should read -- the width--.

COLUMN 25

Line 23, "have" should read --has--; and

Line 24, "borderline" should read -- the borderline of--.

MAILING ADDRESS OF SENDER:

PATENT NO. US 6,917,146 B1

FITZPATRICK, CELLA, HARPER & SCINTO

30 Rockefeller Plaza

New York, New York 10112-3801

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

Form PTO 1050 (Rev. 3-82)

544089v1

327 05 400



No. of add'l. copies

CERTIFICATE OF CORRECTION

PATENT NO.

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 9 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 27

Line 7, "in" should be deleted;

Line 11, "far, and a" should read -- far. A--;

Line 14, "displayed, then no" should read --displayed. No--;

Line 15, "not" should be deleted; and "place, highly" should read --place and highly--;

Line 16, "stable" should read --a stable--:

Line 29, "which" should read --with--;

Line 30, "to" should be deleted;

Line 37, "to" should be deleted;

Line 50, "to" should be deleted;

Line 58, "time" should read --times--;

Line 61, "in" should be deleted;

Line 66, "portions where" should read --portions, --; and

Line 67, "it the" should read --it, that the--.

COLUMN 28

Line 1, "the level of" should be deleted;

Line 11, "not have not been able to be found out." should read --been found.--;

Line 33, "to be held" should be deleted;

Line 34, "not to save any necessary" should read --to exhibit less--; and

Line 57, "highly quality" should read --high quality--.

COLUMN 29

Line 62, "electroconductive" should read --electroconductive--.

MAILING ADDRESS OF SENDER:

PATENT NO. US 6,917,146 B1

FITZPATRICK, CELLA, HARPER & SCINTO

30 Rockefeller Plaza

New York, New York 10112-3801

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

Form PTO 1050 (Rev. 3-82)

544089v1

SEP 05 COU



No. of add'l. copies

CERTIFICATE OF CORRECTION

PATENT NO.

6,917,146 B1

DATED

July 12, 2005

INVENTOR(S) :

TAIKO MOTOI ET AL.

Page 10 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 30

Line 2, "films;" should read --films; and--; and Line 16, "gap;" should read --gap; and--.

COLUMN 32

Line 1, "thereof" should read --thereof,--;

Line 3, "and are" should read --are--; and

Line 6, "electoconductive" should read --electroconductive--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza New York, New York 10112-3801

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

Form PTO 1050 (Rev. 3-82) 544089v1

PATENT NO. US 6,917,146 B1

27 05 Lung

No. of add'l. copies @ 30¢ per page

